

Auckland Shell Club

www.aucklandshellclub.net.nz

Auction Lot List - 24 October 2026



Albany Hall. Setup from 9am. Viewing from 10am. Auction starts at 1pm

[Click here to download all available lot images \(~80 MB\)](#)

Proxy bids to aucklandshellclub@gmail.com. Conditions apply. See our website for more information

Lot	Type	Reserve (\$NZ)	
Patricia Langford estate ...			
1	WW		Conidae. 33 lots. L to R: Conus flavidus x2, parvulus x5, monile x4, radiatus x2, striatellus x2, ranunculus x2, quercinus, capitaneus, trochulus, sanguinolentus x2, trigonus x2, rattus viridis Egypt, crotchii, victoriae x2, pertusus x2, pertusus x3, ventricosus x2, regularis x2, taeniatus x2, catus x2, stercusmascarum, spectrum, mercator x2, praecellens, raphanus x2, aplustre, mozambicus, furvus x2, mediteraneus x2, nicobaricus, cinereus x2, miliaris, erythraensis x3.
2	WW		Conidae. 38 lots. L to R: Conus typhon, cuneolus x2, taeniatus x4, ermineus x2, cancellatus x3, hypochlorus x2, novaehollandiae x4, mozambicus, dalli x2, verrucosus, jaspideus x5, x4, monachus x2, obscurus, punctulatus x3, mediterraneus x2, omaria, mediterraneus x6, delanoyae (superb), musicus x2, inscriptus, jaspideus x3, anthonyi, mercator, scabriusculus x2, x2, ebraeus x3, inscriptus, pygmaeus, lividus, pilkeyi, jaspideus, salreiensis, mucronatus 'alabaster' x4, frigidus, recurvus x2, brunneus x2, spectrum.
3	WW		Conidae. 21 lots. L to R: Conus striatus, bandanus, amadis, namocanus x2, decorus (Strombidae) x2, aulicus x2, capitaneus, textile, amadis x2, striatus 104mm, piperatus x2, monile x2, fuscoflavus, striatus, gloriamaris x2, textile, bayani x6, generalis x5, thalassiarachus x1, x1, suturatus x1, x2.
4	WW		Fascioliariidae. 13 lots. L to R: tulipa x2, trapezium, tulipa, hunteria, australiensis x2, tulipa (bokeelia?), hunteria, filamentosa, hunteria x2, cetata x2, filamentosa, craticulatus x2, nassatula x2.
5	WW		Bivalves. 15 lots. All are pairs and all in pretty good nick. L to R: Macrocallista nimbosa x2 (141mm), Sanguinolaria nuttalli x2, Cardita laticostata x1, x2, Anomalocardia subimbricata tumens x2, Placamen tiara x5, Donax denticulatus x5, costacallista impar x2, soletellina diphos x2, Pitar concinnus x2, neo.margaritacea x3, Gomphina melanaegis, Donax carinatus x2, Sanguinolaria cruenta Lightfoot 1786, Trigonocardia granifera x3.
6	WW		Melongenidae, Fascioliariidae. 13 lots. L to R: Busycon contrarium, Melongena corona, Melongena melongena x1, x1, Hemifusus ternatanus x2, Vasum ceramicum (sic), Busycon spir.pyrul. (doubt it), No label, Busycon contrarium, Melongena patula, No label, Busycon perversum x2.
7	WW		Harpidae. 15 lots. L to R: Harpa major x2, ventricosa, amouretta x2, davidis, harpa, Morum oniscus x4, amouretta x2, major, harpa, Morum tuberculatum x2, crenata, No label x1, x1, articularis, doris 12 fathoms off Conakry, Guinea.
8	WW		Cassidae 24 lots. L to R: fimbriata, adriatica x2, faurotis, achatina x2, erinaceus x2, diuturna x2, echinophora, granulata x2, angasi x1, x1, inornata x2, undulata, testiculus, areola x2.
9	WW		Cassidae 17 lots. L to R: bandatum, granulatum, zeylanicum x2, erinaceus x2, testiculus, bandatum, bulla x2, cicatricosum, undulata x2, variegatum, pyrum, bandatum, coarctata x2, semigranosum, bisulcatum persimile, No label.
10	WW		Cypraeidae 26 lots. L to R: chinensis variolaria x5, erosa x6, carneola x5, camelopardalis x2, helvola x4, isabella, subviridis x5, pyriformis x3, moneta x3, labrolineata x2, kieneri x3, angustata x2, asellus x4, nucleus x2, annulus x8, turdus, ovum x2, stercoraria, lynx (Jeddah) x2, gangranosa x2, lutea x2, staphylaea, lentiginosa/lynx? x2, limacina x2, hirundo x2, staphylaea x4.
11	WW		Cypraeidae 37 lots. L to R: erroneus x7, erroneus coerulescens x2, ocellata, clandestina x5, gracilis x2, felina x2, caputserpentis, erroneus x2, hirundo x2, pallida x2, moneta x7, isabella x4, cinera (sic), ovum chrysostoma, isabella x4, labrolineata, nucleus x2, walkeri continens x2, turdus x2, kieneri depriesteri x4, isabella x2, clandestina x2, flaveola x2, chinensis violacea x2, annulus x2, erosa x5, erroneus x2, pyrum x2, teres subfasciata x2, spurca acicularis x3, erroneus x2, erosa, helvola meridionalis x9, carneola x2, globulus x2, verconis, macula x3.
12	WW		Pectinidae 17 lots. L to R: swifti x2, lischkei x2, albida, chazaliei, No label x2, flabellum x3, tranquebarica x2, wardiana x2, purpurata x2, philippi, lineolaris, islandica, purpurata x2, tigrina x2, No label x2, albidus, glyptus.
13	WW		Pectinidae 13 lots. Note: one tehuelchus has a valve missing. L to R: islandicus, circularis, farreri nipponensis, x4, tehuelchus, larvata x3, flabellum x3, excavatus x2, pelseeneri x2, inequalvis x2, macassarensis x5, tehualchus Orbigny 1896 x4, larvata x2, palmeri x2.
14	WW		Volutidae 24 lots. L to R: olla, musica, grayi x2, rupestris x2, lapponica, noguchii x2, vespertilio x1, x1, nobilis, grayi, maculata, undulata, wisemani, musica x1, x1, nivosa oblita x1, x1, clara, damoni, flavicans, zebra (despite label name) x2, pulchra x2, maculata, grossi.
15	WW		Volutidae 22 lots. L to R: lapponica, olla, nivosa oblita x2, sophiae, molleri, maculata x2, undulata, arausiaca, damoni, musica, vespertilio serpentina, lotoisii, pulchra x2, formosana, vespertilio, canaliculata, nivosa, musica x2, maculata, nivosa, maculata.
16	WW		Volutidae and Marginellidae. 10 lots. L to R: magnifica, marocanus (=Cymbium tritonis), undulata, pringlei (Marginellidae) x1, x1, cathartae x2, aulica x1, x1, undulata, cucumis.
17	WW		Volutidae 6 lots. L to R: No label, melo x1, x1, hunteri, glans, dufresnei.

18	WW		Volutidae: Lyria 8 lots. L to R: mitraeformis x1, x1, x2, cumingii (Enaeta), delessertiana x2, taiwanica, deliciosa, cumingii x2.
19	WW		Olividae 28 lots. Some good ones! L to R: porphyria x2 (93mm, 87mm), miniacea x3, marrati x2, scripta x2, lienardi, travassosi x2, x1, spicata fuscata x2, sayana x4, gibbosa, duclosi lentiginosa x2, australis x3, bulbosa inflata x2, gracilis x8, tricolor x3, splendidula, peruviana x3, sericea x2, oliva oriola x3, australis x3, marginata x2, reticularis x3, elegans x3, Melapium lineatum x2, caldania x3, lignaria x2, peruviana fulgurata x5, biplicata x6.
20	WW		Olividae 33 lots, L to R: nivea x5, verreauxi x8, philantha x3, acuminata x6, andamanensis x2, squiggle-ulata x2, baetica x8, incrassata x2, cinnamomea x4, petiolita x15, sidelia x2, cymatalis x6, spicata fuscata x2, propatula x3, tessellata x3, hinomotoensis urasima x3, australis x3, dama x10, Ancilla sp x2, dama x10, caroliniana x2, carnicolor x2, caroliniana x2, mantichora x2, sidelia x4, rufula x3, australis x3, multiplicata x3, mustelina x2, reticularis x2, volutella x9, nivea x3, oliva x7.
21	WW		Olividae 38 lots, L to R: episcopalis x5, hirasei x3, amethystina x3, oliva x8, tremulina x2, cryptospira x2, oliva stellata x5, gibbosa x2, tigrina x3, pulchella x3, australis x5, ?contusa x4, monilifera w/op x2, australis x9, castanea x2, ?sidelia volvaroides (id is dodgy), japonica x3, annulata x4, marginata w/op, undatella x4, australis x4, caldania x5, reticularis x2, lignaria x4, polpasta x5, carneola x8, biplicata x6, Olivella fulgurata x6, evania x2, jaspidea x9, spicata, rosea x4, annulata intricata x2, miniacea, elegans x3, fasciata x8, polpasta, volutella x16.
22	WW		Buccinidae et al 18 lots, L to R: Neptunea despecta x1, x1, contraria, Afer cumingii x2, Buccinum leucostoma x3, Thais canaliculata x4, Babylonia spirata x2, Penion mandarinus x2, Siphonalia fusoides x2, Buccinanops lamarckii x2, Siphonalia filosa x2, Plicifusus plicatus x2, Sydaphera spengleriana, Siphonalia ornata x2, Buccinum middendorfi, Siphonalia cassidariaeformis x2, Phos senticosus, Buccinum isaotakii Kira 1959.
23	WW		Cypraeidae, about 40 lots, L to R: argus, eglantina couturierii x2, lynx, decipiens, cervinetta, succincta, eglantina, verrucosus, scurra, vitellus dama x2, subviridis dorsalis x5, errones caeruleus, scurra, lamarcki, spurca, verrucosus, walkeri, annulus x3, quadrimaculata, arabica asiatica v.nice with pointy spires! x2, vitellus, walkeri surbajensis x3, onyx, scurra x2, pustulata, luchuana, scurra, pulcaria, declivis, erosa, mauritiana, teuleri, citrina, caurica, staphylaea, pallida x2, moneta x3, macula, lynx x2, cinerea.
24	WW		Cypraeidae 34 lots, L to R: pantherina x2, histrio x2, argus, cylindrica, carneola x1, x1, vitellus, erythraensis (nice), fimbriata, hungerfordi, annettae x3, caputserpentis, albuginosa, kutea, macula, errones, macula x2, caurica nigrocincta x2, fuscotentata, cinerea, raysummersi, contaminata, interrupta, felina, stolidia, arabicula, picta, ursellus x1, x1, turdus, caurica x3, mus x3, quadrimaculata, caurica.
25	WW		Cypraeidae 20 lots, L to R: onyx x4, friendi, histrio x2, ziczac misella, venustus sorrentensis, cervinetta, ocellata, Primovula cavanaghi, pallida, felina, grayana, xanthodon, annulus, errones, clandestina, microdon, caurica, nebrates, Pseudosimnia carnea, pallida.
26	WW		Muricidae 19 lots, L to R: Thaisella callifera x2, Murex stainforthi x3, Drupa morum, Mancinella echinata x2, Afer cumingi (Tudicidae) x2, Nucella lamellosa, Drupa ricinus arachnoides x4, Neorapana muricata, D.morum, D.ricinus x3, D.spathulifera, D.ricinus x3, N.lamellosa x2, Murex triformis, D.ricinus x2, D.grossularia, Nassa serta x3, Ceratostoma erinaceum x2, Pterotyris nuttalli x3.
27	WW		Bivalves 19 lots, L to R: erycina, decussata x2, mactroides x4, olabiolina (?) x5, listeri x2, lilacina (?) x4, madagascariensis x2, maculata, quadrangularis x2, paphia x4, egmontinum x2, biradiatum, hieroglyphica x2, unedo x2, intermedia, purpuratus x2, glaucum x4, racketti, staurella x2.
28	WW		Tellinidae 7 lots, L to R: quoyi, listeri x2, punicea x3, radiata x3, albinella x4, virgata x2, mataensis x5.
29	WW		Muricidae 23 lots, L to R: patula, bezoar, triformis x2, pinnatus (sic) actually Asian ones are alatus x2, rubusidaeus x2, oxyacantha, lapillus x8, axicornis x2, angularis x4, haustellum x2, scorpio x3, japonica x4, oxyacantha, cichoreus, pinnatus (sic) actually Asian ones are alatus x2, trialata x2, moticilla, trunculus x2, turritus/denudatus x3, armatus x2, erinaceus x2.
30	WW		Muricidae 27 lots, L to R: acanthopterus x2, nitida x2, elenensis x2, triformis, plurator, macropterus x2, cristatus x2, eurypteron x3, coppingi, erinaceoides x2, pinnatus (=alatus), festiva, banksii, muriciformis x2, jaliscoensis x3, regius, uncinata x4, cinerea x3, beaui, inornata x2, lividus x2, cnissodus x3, permeata, brevifrons, cornucervi x3, gemma x4, brunneus x2, foveolata x7.
31	WW		Muricidae 36 lots, L to R: santarosana x2, oxytatus, pazi, japonica x2, interfossa x2, varius x2, cellulosa x2, balteata, cellulosa x4, secunda, spinosus, edwardsi x10, No idea x2, coronatus x2, axicornis, esycus, japonica x3, fimbriata x2, circumtexta x2, adunca x3, gyratus x2, fournieri x2, anatomicus x2, annandalei, vokesae, rubiginosa, fournieri x2, incurvispina x3, No label (nice trophon type!), decussata, princeps, serratospinosus, recurvirostris, trivialis, trunculus x2.
32	WW		Pectinidae x19 lots, L to R: nodosus (118mm), pallium, No label, radula x2, cumingii x2, vexillum x3, x2, sentis x3, gibbus x3, funebris x3, sentis x4, pallium x2, senatorius x2, gibbus x3, glaber proteus x2, senatorius x2, radula x2, vexillum x2, x2.
33	WW		Pectinidae 13 lots, L to R: yessoensis (124mm), nobilis x2, asperrimus x3, pallium x3, japonicum, flabellata x2, funebris x3, cumingi x2, leopardus x3, glaber x2, No label (110mm), radula x2, cumingi x2.
34	WW		Pectinidae 14 lots L to R: balloti x2, pleuronectes x3, leopardus, gloriosa, luculenta, peroniana x2, bifrons, leopardus x2, x2, melica x2, balloti, peroniana x4, asperrimus x3, alba.
35	WW		Conidae 42 lots approx, L to R: malacanus, zonatus (clean), chaldeus, spectrum, gladiator x3, arenatus x2, maldivus, coronatus, chaldeus x2, fulgetrum, anemone x2, tornatus x2, spectrum x1, x1, stercusmuscarum x2, biliosus, chaldeus x3, natalis (chiplips) x2, princeps, tulipa, glaucus x2, maldivus x2, coronatus x2, anemone, vitulinus x3, coronatus x2, regius, byssinus, tinianus x7, nigropunctatus x2, delesserti (sozoni) x3, planorbis, sponsalis x3, ochroleucus x2, spectrum, muriculatus, figulinus, orbigny x4, musicus x2.

36	WW	Conidae 58 lots, L to R: rattus x2, glans, stearnsi, novaehollandiae, miliaris x2, compressus x2, mus x3, dorreensis x2, terebra, stramineus, regius, mus x2, lentiginosus x2, coronatus, frigidus, mus x2, stramineus x2, virgatus x2, stramineus, rattus x2, dorreensis, diadema, regius x2, textile, spectrum, coronatus, floridanus x2, sponsalis, achatinus, regius, achatinus, pusillus x5, fulgetrum x2, phillipi, tessellatus, rattus x2, regius, episcopatus, catus, collisus, sponsalis x1, x2, x1, fulgetrum, miser, nux x4, compressus, fulgetrum, spectrum, californicus, pseudosulcatus, mahogani x4, delesserti x2, anemone x2, floridanus x2, anemone, diadema, mitratus.
37	WW	Cymatiidae & Bursidae 32 lots, L to R: femorale x1, x1, trigonum, nicobaricum x2, semitorta x2, wiegmanni, vestitum x2, africanum, femorale, klemei x4, scrobilator x3, aquatile, argus, dolarium, testudinarum x2, dolarium x2, cingulatum x1, x1, caribbaeum x1, x1, pileare martinianum x2, wiegmanni, dolarium, wiegmanni, lesueuri x6, rosa x2, sarcostoma x2, Annaperenna verrucosa x8, caribbaeum, lotorium, No label (caribbaeum), pileare.
38	WW	Cymatiidae 13 lots, L to R: cutaceum x4 (nice ones), australasiae x3, dunkeri x2, aquatile x2, grandimaculatum x2, galea, encausticum x2, corrugatus x1, x1, testudinaria x2, proditor tristanensis, gibbosum, roseus x2.
39	WW	Bursidae 21 lots, L to R: nana x2, granularis x3, caelata x2, californica, tenuigranosa x2, corrugata, margaritula x2, rana, Bursa sp Hinton etc x2, nobilis x2, rhodostoma, ranelloides x2, thomae x2, awatii x2, rhodostoma x2, rana, thomae, spadicea x2, rubeta, subdistorta (Tasmania) x4, tuberculata x2.
40	WW	Nassariidae 39 lots, L to R: gradatum x2, particeps x3, arcularius x2, jacksonianus x2, albescens x6, horridus x8, pullus x4, dorsatus x2, pyrrhus x10, dorsatus x3, spiratus (Katherine Bay, Gt Barrier Island, NZ) x2, moniliferus x3, hirtus x4, gradatum x2, dorsatus x3, pauperatus x7, reticulatus x2, venuustus, luridus x6, festiva, olivaceus x3, versicolor x4, distortus x6, taenius x2, pauperatus x4, moniliferus x3, fossatus x2, x2, glans x2, pullus x2, reticulatus x3, papillosus x3, margaritiferus x5, clathratus x3, glans x5, coronatus x4, No label x10, margaritiferus x5, mucronatus x6.
41	WW	Acteonidae, Bullidae, & Scaphandridae. 15 lots, L to R: tornatilis x3, botanica x2, solidula, lineata, Rictaxis punctocaelatus x2, adansoni x2, solidula x2, x3, tornatilis x3, sulcata x2, fumata x2, nitidula x3, striata occidentalis x3, tenuissima x2, lignarius x2.
42	WW	Marginellidae & Cystiscidae 35 lots, L to R: angustata x5, apicina x28, fulminata x2, bandpex (?) x2, corneum x2, muscaria x5, sapotilla x2, nebulosa, irrorata x6, philippinarum, rosea x3, apicinum x10, guttata x2, glabella x2, interruptalineata, cingulata x2, rosea x3, loebbeckeana, strigata x2, carneum x4, angustata x2, bernardii x8, ventricosa, avellana x2, ornata, marginata x3, adansoni x4, pruinosa x2, amygdala x3, labiatum x3, glabella x4, piperata x6, persicula x2, goodalli, imbricata x4.
43	WW	Marginellidae & Cystiscidae 29 lots, L to R: pygmaeoides x4, amygdala x6, bullata x2, desjardini x3, muscaria x13, apicinum x22, ventricosa x3, miliaria x10, guttata, minuta x2, miliaria x21, pulchella x3, formicula x4, elegans x5, oblongum x3, australis x4, capensis, apicinum x4, x12, oblongum, keenii x2, denticulata, secalina x2, cymbalum x43, avena x2, aurantia x3, guttatum x2, avenacea x40+, californica x12.
44	WW	Fascioliariidae 38 lots L to R: kobelti x4, mediamericanus, recurvirostris x3, tumens, galeodes x2, syracusanus x2, polygonus x2, cinerus x4, hemphilli x2, acutispinata x2, filiosus x3, plicatus x2, kirae x2, amplustris, magnifica x2, arabicus x2, turritus x2, polygonus x1, x1, pygmaeus x2, polygonus x2, belcheri x2, lubricus, luteopictus x5, polygonoides x3, paradisiaca x2, magnifica, syracusanus, filiosus, kiranus x2, mcgintyi x2, rostratus x2, senticosus x4, Latirus sp x2, magnifica x2, callizona, spadicea x2, sinensis x3.
45	WW	Architectonicidae 12 lots, L to R: maxima, nobilis x3, perdix x2, maxima x2, nobilis, perspectiva, nobilis x2, stramineus, nobilis x2, x2, trochlearis x2, maxima x2.
46	WW	Turridae, Clavatulidae, Pseudomeltonidae 32 lots, L to R: coreanica, pilsbryi x2, crispa variegata x2, incrassata x2, oxytropis x4, roseola x2, picta x2, cosmoi x2, moesta, walkerii x2, funiculata x3, unimaculata x2, hexagona x2, redondoensis, tuberculifera x2, ophioderma x2, kaderlyi, maculosa x2, x4, polytropa x4, australis x2, nifat x2, crispa yoddoensis x2, javana x2, rufovaricosa x2, javana x2, unedo x2, similis x4, albida x3, babylonia x3, maura x2, speciosa x2.
47	WW	Strombidae & Aporrhaidae, 7 lots, L to R: canarium x4, alatus, pespelecani x3, urceus ustulatus x2, variabilis x4, vittatus campbelli x4, turturella.
48	WW	Many Families, 30 lots, L to R: Cantharus elegans x2, Peristernia incarnata x3, Volema pyrum x1, x2, Cominella lineolata x4, Cerithidea obtusa, Haliotis cyclobates x2, Cominella eburnea x4, Cantharus tranquebaricus, Latirus polygonus, Euthria cornea x2, Colubraria sowerbyi x2, Pusionea nifat x2, Pisanina pusio x2, Solenosteira gatesii, S. macrospira, Phos senticosus x3, Latirolagena smaragdula x2, Cantharus spiralis, Rhinoclavis fasciata, Northia pristis x2, Natica acinonyx, Peristernia australiensis x2, Cancellaria cancellata x2, Polygona filosa, P. infundibulum x2, Siphonalia trochulus toaiensis, Terebra areolata, Colubraria maculosa x2, Hesperaptyxis ambustus 2 (w.op).
49	WW	Trochidae, Turcicidae, 11 lots L to R: atrata, stellatus x2, alwinae x2, fenestratus x2, crumpii x2, cidaris, sacellum rota x2, erythraeus, argenteonitens, gibberosa, phoebia x4.
50	WW	Rostellariidae 5 lots L to R: powisii x2, martini, delicatula, insulae-chorab x1, x2.
51	WW	Trochidae esp. Clanculus, 21 lots L to R: pulcherrimus, pharaonius x4, infuscatus x2, guineensis x2, corallinus x2, sandwichensis x2, montereyi, pharaonius, multiliratus x3, eximeum x4, corallinus x20, margaritarii x2, x3, maugeri x4, undatus x2, jussieuvi x24, africanus (?) x2, subangulata x2, puniceus x5, x1, subangulata x2.
52	WW	Turbinidae 12 lots L to R: undulata x3, peroniana, fenestratus, dentatus x1, x1, maculatus, petholatus x4, cornutus, No label 1, No label 2, No label 3, No label 4.
53	WW	Triviidae, Ovulidae 25 lots L to R: monacha x10, sanguinea x2, maltbiana, pedicula x5, oryza x3, marginata, gibbosum, carnea, acicularis x3, maltbiana, monacha x2, californiana x2, mcgintyi, merces x4, monacha x8, pedicula, solandri x3, Pseudosimnia whitworthi, lacteus, monacha x2, merces x7, aperta x3, volva, gibbosum x5, verrucosus x4.

54	WW		Trochidae, Turcicidae, 11 lots L to R: atrata, stellatus x2, alwinae x2, fenestratus x2, crumpii x2, cidaris, sacellum rota x2, erythraeus, argenteonitens, gibberosa, phoebia x4.
55	WW		Turbinidae, Trochidae, Phasianellidae etc. 20 lots L to R: Clanculus floridus (? , not in Tasmania?) x16, Bankivia fasciata x12, Monodonta australis x2, Dentarene loculosa x3, Astraea americana x2, Nassarius graniferus x2, Phasianotrochus eximius x11, Monilea smithi x2, Phasianella caloundra x2, Cantharidus lehmanni x9, Stomatolina mariei x4, Astraea rhodostoma x2, Turbo castanea x2, Littoraria irrorata x7, Bellastraea stellata x2 (opercs, wow!), Tegula brunnea x3, Lunella coronata x2, Thalotia conica x10, Turbo histrio Egypt, Trochus erythraeus x2.
56	WW		Pectinidae 14 lots, L to R: opercularis x4, x2, glaber x3, No label x6, commutatus x2, flexuosus x3, multistriata x2, proteus x2, squamata x2, inflexum x2, varius x6, mollita x2, varius x2, opercularis x6.
57	WW		Pectinidae 15 lots, L to R: squamata x2, irregularis x4, varius x3, flexuosus duplicatus, aspera x2, proteus x3, septemradiatum x4, tricarinata x5, albolineata x2 incomparabilis x4, farreri nipponensis x2, madreporarum x2, circularis x2, opercularis x4, clavatum x4.
58	WW		Pectinidae 6 lots, L to R: vesiculosus x4, farreri nipponensis x2, albicans x2, varius x3, opercularis x5, senatorius x2.
59	WW		Conidae, Cypraeidae, Marginellidae, Tudicidae 17 lots, L to R: hindsii x2, cervinetta, ceylanensis x2, Marginella rosea ("white form"), gracilis japonica, inermis, arabica x2, muscaria x2, macula x4, apicina x6, oblonga x3, lurida x2, hyaena, interlirata x4, gilvus, sieboldii, ximines.
60	WW		Olividae, Ancillariidae 18 lots, L to R: pedroana x3, todosina x3, zanoeta x6, reevei x8, suavis x2, deshayesiana x3, tehuelcha x4, columellaris x6, scaphella x2, floralia x20, caerulea x2, scripta (Sri Lanka) x2, contortuplicata x5, australis x3, Unreadable from Congo x2, oliva x9, fletcheriae x2, anazora (cute) x6.
61	WW		Olividae, Ancillariidae 13 lots, L to R: mamillata x3, paxillus x2, esiodina x2, apicalis x2, australis x4, mustelina x2, oliva oriola, vidua albofasciata x2, lignaria x2, spicata x4, elegans x3, solidula see label x30, bulbosa bicingulata x4.
62	WW		Calliostomatidae 29 lots, L to R: australe, virescens, cidaris x2, shinagawaensis x4, pulchrum, conulus x2, adpersum, granulum x6, laugieri x4, marshalli x2, coppingeri x3, laugieri x12, aculeatus x6, eucosmica x5, armillata, palmeri x10, vicentae x2, variegatus x2, gemmula, infuscatus x2, monile x2, iris x2, supragranosum, leeanum ?, monile x3, laugieri x7, subcarinatum, formosense x2, annulatum x5.
63	WW		Calliostomatidae x20 lots, L to R: bularra x2, antonii x2, bonita x12, gloriosum x2, bonita x2, unicus x3, soyoae x4, granulum x3, zizyphinum x7, jujubinum x10, x2, ligatum x6, zizyphinum x3, comulum, zizyphinum x2, x2, Tristichotrochus kilens (?sp) x5, conitessei Iredale (?sp) x5, speciosum x4, zizyphinum x4.
64	WW		Nassariidae, Columbidae, Terebridae 18 lots, L to R: sufflatus x6, coronatus x2, arcularius x3, conoidalis x3, wolffi x2, variegata x2, rustica x4, maculosa x4, haemastoma x2, fuscata x6, duponti x6, fusinoidea x6, angularis x2, gibberula x8, stylata x2, dislocata x4.
65	WW		Nodipecten subnodosus 125mm. Thick and heavy.
66	WW		Four odd gastropods. L to R: Busycon carica 192mm, Chicoreus palmarosae, Distorsio clathrata, Semicassus niveum (=pyrum).
67	WW		Another odd grouping, 3 lots, L to R: Harpulina lapponica x4, Vasum muricatum 112mm, Voluta ebraea 98mm.
Peter Poortman ...			
68	BOOKS		Poirieria magazines, almost a full set. Volumes 3-15, plus Indexes, 50th Anno, Bulletins 8-11, and a few old newsletters.
Nick Britton ...			
69	WW+NZ		23 x Haliotidae: H. roci W Aus, H. patamakanthini Thailand, H. cyclobales S. Aus, H. sorensaei Mexico, H. scalaris W Aus, H. avina Phillipines, H. diversicolor Thailand, H. scares Emma S Aus, H. kamtsihatkana Alaska, H. australis Wgtn, H. dissana New Caledonia, H. canaryensis Canary Is, H. semiplacata W Aus, H. varia Queensland, H. squamata W Aus, H. roel W Aus, H. diversicolour Hong Kong, H. asina Solomon Is, H. virginea NZ
70	NZ		51 x Buccinidae: Aeneator attenuatus Ahipara, Aeneator comptus Pt Chev, Penion sulcatus Tutukaka, Penion benthicola Auckland Is, Penion cuvierianus, Penion dilatatus, Penion fairfieldae, Penion dilatatus, Penion mandarinoides
Derrick Crosby ...			
71	NZ		Fossils, Castlecliff, Whanganui area. Unidentified, from some old material collected a long time ago..
72	NZ		Fossils, Mostly named, Castlecliff, Whanganui area. Collected a long time ago.
73	NZ		Fossils, Many named, Castlecliff, Whanganui area. Collected a long time ago.
74	NZ		Fossil material, some petrified wood, and sundry items. Origins unknown.
75	NZ		Calliostoma tigris (Gmelin, 1791). Cray Pot, 3 Kings Is, x Seelye collection. 80mm X 90mm
76	NZ		Calliostoma (Calliotropis) pellucidum (Valenciennes, 1846). H & M Seelye collection. Paeringaringa Harb. 40mm x 42mm
77	NZ		Calliostoma (Maurea) jamiesoni B. A. Marshall, 1995. 3 Kings Is, Irishmans Gardens. Scuba, D Crosby. 28mm x 28mm
78	NZ		Babelomurex lischkeanus (Dunker, 1882). Dredged, Bay of Plenty, fisherman. 1957. small lip damage. 55mm x 33mm.
79	NZ		Cominella regalis Willan, 1978. South East bay, 3 Kings, Scuba, D Crosby, 5-3-97 20mm x 10mm.
80	NZ		Cantharidus opalus (Martyn, 1784). Form cannoni. From Chatham Islands. L Seeger collection. 42mm x 30mm
81	NZ		Semicassis (Semicassis) royana (Iredale, 1914). Cray Pot, 3 Kings area. X Moffat collection. 140mm x 85mm
82	NZ		Charonia capax H. J. Finlay, 1926. Tokoroa Is, Houhora Harbour. Scuba, 35 feet. Live. D Crosby. 2/1976 220mm x 110mm

83	NZ		<i>Haliotis virginea</i> Gmelin, 1791. From old collection, collected near Wellington. 47mm x 30mm, & 36mm x 26mm.
84	NZ		<i>Haliotis virginea</i> Gmelin, 1791. form <i>crispata</i> , collected at Bland Bay, Northland NZ. 43mm x 28mm, & 38mm x 26mm.
85	NZ		<i>Cabestana</i> (<i>Turritriton</i>) <i>labiosa</i> (W. Wood, 1828). Offshore reef near Tutukaka. Sketchly. 1960's Scuba..45mm x 30mm
86	NZ		<i>Hyridella</i> (<i>Echyriddella</i>) <i>menziesi</i> , (Gray 1843). Live collected, Lake Omapere, Northland NZ. D Crosby, 20-2-2020. all 80ish mm
87	WW		<i>Turbo jourdani</i> Kiener, 1839. Niceish specimen. No data. 140mm x 150mm
88	WW		<i>Spondylus gaederopus</i> Linnaeus, 1758. Greek Isles. Collected July 1965. x Seeger collection 110mm x 80mm
89	WW		<i>Charonia variegata</i> (Lamarck, 1816). From Haiti. Collected June 1982. x Seeger collection. 320mm x 160mm
90	NZ		<i>Spinomelon parki</i> (Suter 1907). Rare fossile volute from Sth Canterbury. NZ. From CSAM auction some years ago.145mm x 52mm
91	WW		A box of micro molluscs from Philippines.
92	WW		<i>Lambis chiragra</i> (Linnaeus, 1758). Dili Harbour. Collected by Graham Clifford. 1960s See book "Golden Lotus" 240mm x 160mm
93	WW		<i>Conus bullatus</i> Linnaeus, 1758. Solomon Islands. X Derek Lamb collection 55mm x 26mm
94	WW		<i>Conus vidua</i> Reeve, 1843. Live taken, Guadalcanal, Solomon Is. X Palmer collection. 52mm x 23, & 45mm x 22mm
95	WW		<i>Tibia fusus</i> (Linnaeus, 1758). Ryukyu Is, Japan. X Penniket collection. 220 x 35mm
96	WW		<i>Cypreaa</i> (<i>Zoila</i>) <i>marginata</i> Gaskoin, 1849. Garden Is, W Australia. Scuba, 60 ft in cave at night. 62mm x 40mm
97	WW		<i>Umbilia armeniaca</i> (Verco, 1912). Scuba, Gt Aust Bight. Bob Lear collection. 88mm x 55mm
98	WW		<i>Zoila jeaniana sherylae</i> L. Raybaudi, 1990. Carnarvon, W Australia.Purchased, Ak Shell show 2015 70mm x 45mm
99	WW		Fossil/subfossil, from 50 ft below ground level in a quarry, Ouvea Is, Loyalties. Crosby collection.
100	WW		Fossil/subfossil, from 50 ft below ground level in a quarry, Ouvea Is, Loyalties. Crosby collection.
Martin Walker ...			
101	NZ		NZ <i>Hydatina albocincta</i> 44mm. Live taken Rangiputa Beach, Karikari, 1990. Ex Dave Gibbs Coll'n.
102	NZ		NZ <i>Hydatina physis</i> 49mm. Alive in shallow water, Parengarenga Harbour, 1980's. Ex Doug Snook Coll'n.
103	NZ		NZ <i>Maurea foveauxana</i> 49mm w/op. 160-180m, Cape Providence, Southland, 1982. Ex Barry Hutchins coll'n.
104	WW		<i>Sepia latimanus</i> (cuttlefish) Beached Mindanao, Philippines, 2007. 380mm.
Gardner estate ...			
105	WW		Conus + variety - Tonga
106	WW		Mixture seashells - Mostly Tonga
107	WW		Clams - Pacific Is
108	WW		Mixture seashells (no Labels)
109	WW		Cyprea, Oliva - USA
110	WW		Mixed seashells (no Labels)
Kris Woods ...			
111	NZ		Assorted Bivalves: <i>Hiatula nitida</i> , <i>Limaria orientalis</i> , <i>Limaria maoria</i> , <i>Zenatia acinaces</i> , <i>Resania lanceolata</i> , <i>Pratulium pulchellum</i> , <i>Gari convexa</i> , <i>Gari lineolata</i> , <i>Purpurocardia purpurata</i> , <i>Mesopeplum convexum</i> , <i>Talochlamys zelandiae</i> , <i>Talochlamys dichroa</i> , <i>Solemya parkinsonii</i> , <i>Offadesma angasi</i> , <i>Pleuromeris zelandica</i> , <i>Ardeamya spenceri</i> , <i>Pholadidea suteri</i> , <i>Gaimardia forsteriana</i> , <i>Gaimardia finlayi</i> , <i>Tucetona laticostata</i>
112	NZ		Assorted Gastropods: <i>Pellicaria vermis</i> , <i>Struthiolaria papulosa</i> , <i>Modelia granosa</i> , <i>Amalda australis</i> , <i>Amalda mucronata</i> , <i>Amalda depressa</i> , <i>Maurea punctulata</i> , <i>Maurea pellucida</i> , <i>Maurea tigris</i> , <i>Provocator mirabilis</i> , <i>Bulla vernicosa</i> , <i>Cominella maculosa</i> , <i>Cominella quoyana</i> , <i>Cominella tolagaensis</i> , <i>Marinula filholi</i> , <i>Falsilunatia ambigua</i> , <i>Maoricrypta youngi</i> , <i>Sigapatella terraenovae</i> , <i>Globisium drewi</i>
113	WW		<i>Hexaplex cichoreum</i> : 108mm. Philippines.very good condition. Striking sculpture and colour.
114	WW		<i>Muricidae</i> : <i>Pteropurpura festiva</i> , <i>Chicoreus asianus</i> , <i>Chicoreus cervicornis</i> , <i>Chicoreus torrefactus</i> , <i>Timbellus verspertilio</i> , <i>Murex brevispina macgillivrayi</i> , <i>Favartia brevicula</i> , <i>Vitularia miliaris</i> , <i>Pterochelus akation</i> , <i>Latiaxis mawae</i> , <i>Babelomurex lischkeanus</i> , <i>Eupleura nitida</i> , <i>Nucella lamellosa</i> , <i>Murex echinodes</i> , <i>Nucella emarginata</i> , <i>Boreotrophon candelabrum</i> , <i>Coralliophila violacea</i> , <i>Homalocantha zamboi</i>
115	WW		Bivalves: <i>Petricolaria pholadiformis</i> , <i>Macrocallista nimbosa</i> , <i>Tapes literatus</i> , <i>Callista impar</i> , <i>Gafrarium divaricatum</i> , <i>Notocallista kingii</i> , <i>Costacallista erycina</i> , <i>Tellinella virgata</i> , <i>Tellinodes striatus</i> , <i>Laciolina chloroleuca</i> , <i>Scutarcopagia linguafelis</i> , <i>Flexopecten glaber</i> , <i>Argopecten gibbus</i> , <i>Dalloccardia muricata</i> , <i>Trachycardium egmontianum</i> , <i>Maoricardium setosum</i> , <i>Laevicardium mortoni</i> , <i>Nemocardium bechei</i> , <i>Macra stultorum</i> , <i>Spisula raveneli</i> , <i>Macra abbreviata</i> , <i>Psammotellina biradiata</i> , <i>Lucina pensylvanica</i>
116	WW	\$50	<i>Spondylus americanus</i> : 87mm x 102mm (measurement excludes spines). A big and beautiful shell in good condition. Many long spines. Presents well.
117	WW	\$30	<i>Murex pecten</i> : 157mm. Philippines. Very good condition. Beautiful shell.
118	WW		Bivalve and Gastropods: <i>Hysteroconcha lupanaria</i> , <i>Harpa harpa</i> , <i>Chicoreus miyokae</i>
119	NZ		Assorted Gastropods: <i>Glaphyrina caudata</i> , <i>Aeneator otagoensis</i> , <i>Austrosassia parkinsonia</i> , <i>Charonia lampas</i>
Peter Poortman ...			
120	BOOK		New Zealand Mollusca (1979), by A.W.B. Powell - photocopy version with separated Bivalve section
Russell Hodgson ...			
121	NZ		<i>Diloma</i> , <i>Cantharidus</i> , <i>Micrelenchus</i> , <i>Coelotrochus</i> , <i>Trochus</i> - 14 lots

122	NZ		Maurea punctulata, granti, pellucida, waikanae, osbornei, selecta, & tigris - 11 lots
123	NZ		Nerita, Maoricolpus, Zeacolpus, Stiracolpus, Thylacodes, Tenagodus - 20 lots
124	NZ		Malluvium, Maoricrypta, Sigapatella, Tanea, Notocochlis, Mammilla, Trivia merces - 19 lots
125	NZ		Xenophora, Struthiolaria, Pelicaria, Semicassis, Charonia - 8 lots
126	NZ		4x Tonna tankervillei from Great Exhibition Bay
127	NZ		3x Tonna zonata
128	NZ		4x Tonna tetracotula
129	NZ		2x Tonna maculata
130	NZ		6x Tonna spp. (cumingii?)
131	NZ		Argobuccinum, Cabestana, Monoplex, Ranella - 5 lots
132	NZ		2x Fusitriton laudandus (96,105mm, w/o), Ranella olearium (132mm, w/o)
133	NZ		Cymatium, Sassia, Sassia, Turritriton, Coluzea - 6 lots
134	NZ		Tutufa bufo (77mm) from Three Kings Islands craypot
135	NZ		Xymene, Axymene, Xymenella, Lamellitrophon, Lenitrophon, Paratrophon, Zeatrophon - 18 lots
136	NZ		Haustrum, Dicathais, Neothais, Oppomorus, Agnewia - 12 lots
137	NZ		Poirieria, Murexsul, Prototyphis - 6 lots
138	NZ		Enixotrophon latus (51mm, poor specimen) from 1000m. Northwest of Auckland
139	NZ		Cominella adpersa, maculosa, nassoides, glandiformis, tolagensis. 14 lots
140	NZ		Cominella virgata, quoyana, accuminata, necopinata. 11 lots, mostly ex Gardiner collection
141	NZ		Euthrenopsis otagoensis, Cominella otagoensis, C.mirabilis powelli, and C.mirabilis canturiensis. 5 lots ex Gardiner collection
142	NZ		Austrofuscus, Nassarius, Glaphyrina, Taron, Amalda, Cumia - 16 lots
143	NZ		Aeneator comptus, otagoensis, cookianus form, benthicolus, recens, attenuatus - 6 lots, mostly ex Gardiner collection
144	NZ		Buccinulum, many species and forms - 27 lots, mostly ex Gardiner collection
145	NZ		Alcihoë and Provocator - 9 species and forms
146	NZ		Mitra, Austromitra, Volutomitra, Microvoluta, Phenatoma, Marginella, Duplicaria - 14 lots
147	NZ		Turrids and micros - 19 lots
148	NZ		Janthina, Recluzia, Epitonium, Cirsotrema, Architectonica, Philippia, Pupa, Acteon, Agatha - 18 lots
149	NZ		Bulla, Haminoea, Bullina, Hydatina, Philine, Cylichna - 12 lots
150	NZ		Amphibola, Siphonaria, Kerguelenella, Aplysia, Gadinalaea, Ophicardelus, Marinula, Leuconopsis - 13 lots
151	NZ		Bivalves: Linucula, Nucula, Ennucula, Saccella, Poroleda, Neilo - 8 lots
152	NZ		Bivalves: Acar, Barbatia, Glycymeris, Philobrya - 8 lots
153	NZ		Bivalves: Solemya, Modiolus, Xenostrobus, Aulacomya, Gregariella, Lithophaga, Musculista, Mytilus, Perna - 14 lots
154	NZ		Bivalves: Ostrea, Crassostrea, Anomia, Cleidothaerus - 13 lots
155	NZ		Bivalves: Cardita, Pleuromeris, Venericardia, Talabrica, Nemocardium, Theora - 11 lots
156	NZ		Bivalves: Gaimardia, Borniola, Kellia, Myllita, Lima, Limatula, Divalucina, Gonimyrtea - 10 lots
157	NZ		Bivalves: Barnea/Pholadidea, Myadora, Hunkydora, Corbula, Bankia - 11 lots
158	NZ		Bivalves: Dosinia, Felaniella, Diplodonta - 9 lots
159	NZ		Bivalves: Cuspidaria fairchildi (broken and repaired with plaster), C.willetti, C.trailli, Euciroa - 4 lots
160	NZ		Argonauta nodosa (144mm) and Argonauta argo (127mm)
161	NZ		Fossil gastropods, mostly from Castlecliff - 44 lots
162	NZ		Fossil bivalves, mostly from Castlecliff - 19 lots
163	NZ		Variety of NZ shells - a good starter set
164	WW		Spondylus - 16 lots
165	BOOK		Kingdom of the Seashell, by R. Tucker Abbott. 1982 (256 pages)
166	BOOK		Tropical Pacific Marine Shells, by Walter O. Cernohorsky. 1978 (352 pages)
167	BOOKS		1. Shells of New Zealand, Fifth Revised Edition, by A.W.B. Powell. 1976 (154 pages) 2. New Zealand Shells and Shell Fish: Collecting Eating, by Glen Pownall. 1979 (87 pages)
168	BOOKS		1. New Zealand Seashells Visual Guide, by Jenny Raven & Selwyn Bracegirdle. 2010 (76 pages) 2. Between the Tides (NZ), by Mike Bradstock. 1985 (158 pages) 3. Icons from Te Papa (NZ) - Natural History. 2006 (108 pages)
169	BOOK		Shells. Guide to the Jewels of the Sea, by Giorgio Gabbi. 2000 (168 pages)
170	BOOKS		1. Queensland and Great Barrier Reef Shells, by O.H. Rippingale and D.F. McMichael. 1961 (210 pages) 2. Marine Molluscs of Victoria, by Macpherson and Gabriel. 1962 (475 pages)
171	BOOKS		1. Australian Seashores, by W.J. Dakin. 1980 (376 pages) 2. Seashells of Southwestern Australia, by Dai Roberts and Fred Wells. 1981 (91 pages) 3. A Field Guide to the Common Shelled Molluscs of NSW Estuaries, by Kenneth Robinson & Philip Gibbs. 1982 (56 pages) 4. Common Molluscs of South-western Australian estuaries, by Fred E. Wells and Clayton W. Bryce. 1984 (112 pages) 5. Identification Keys to Australian Freshwater Molluscs, by Brian J. Smith. 1996 (45 pages)
172	BOOK		Shells - Muscheln - Coquillages, by Antoine-Joseph Dezallier d'Argenville. 2009 (216 pages)
173	BOOKS		1. New Zealand Fossils, by I.G. Speden and I.W. Keyes. 1981 (109 pages) 2. Tertiary Volutidae of South-eastern Australia, Thomas A. Darragh. 1988 (114 pages)
Kevin & Jude Burch ...			
174	NZ		Modelia granosa (Martyn, 1784) Three Kings Is, Scuba 20m, live taken w/o F+ 39mm
175	NZ		Modelia granosa (Martyn, 1784) Three Kings Is, Scuba , 20m Live taken w/o Gem 33mm

176	NZ		2 x Zeocolpis Vittatus (Hutton, 1875) 1 L/T w/o Dredged 50m Bream Bay 56mm & 60mm
177	NZ		Austrosassia parkinsonia (Perry, 1811) Scuba. 13m Cape Brett, Rare Species 13m, 46.83mm
178	NZ		2x Recluzia lutea (Bennet, 1840) Spirits Bay, NZ , Rare Species, 23.6mm & 25.45mm
179	NZ		Penion Cuvieranus cuvieranus (Powell, 1927) Trawled Hauraki Gulf, Live taken, w/o, GEM, 223.98 mm
180	NZ		Ranella olearium (L,1758) Trawled 200m Aldermans F+ 150.8mm Live taken w/o
181	NZ		Ranella olearium (L,1758) & graviscapellum pedunculatum, Barnacle F+ 161mm, trawled Aldermans, Live taken w/o
182	NZ		Tonna tankervilli (Hanley, 1860) Bream Bay, Trawled 120m 145mm F+ Mature lip
183	NZ		Tonna tankervilli (Hanley, 1860) Bream Bay, Trawled 120m 135mm F+ mature lip with periostracum
184	NZ		Astraea heliotropium (Martyn, 1784) Whangarei Heads, Scuba, 20m 89.25 live taken w/o
185	NZ		Zenopamera neozelandica neozelandica (Suter, 1908) Live taken, w/o and Brachiopod, trawled Bream Bay 60m
186	NZ		Zenopamera neozelandica neozelandica Suter, 1908 Live taken , w/o and bivalves trawled Bream Bay 60m
187	NZ		Talochlamys dichroa Suter, 1909 , smoother Northern form, GEM sp, from old eels traps, 150-180m Ext rare.31.22H x 22.44 W
188	NZ		Fusitriton laudandus Finlay, 1926. 425m Trawled Auckland lds, F, Live taken, w/o 110mm
189	NZ		Semicassis pyrum (Lamarck,1822") Trawled Deep water form, Bay of Plenty, 420m Live taken,w/o
190	NZ		Penion chathamensis (Powell, 1938) Trawled 450m, Chatham Rise, F+, 183m Live taken w/o
191	NZ		Alcithoe arabica (Gmelin, 1791) Bream Bay longlines. 126mm, Live Taken
192	NZ		2x Offadesma angasi (Groose & Fisher, 1864) Sumner Bch, ChCh, F++ to Gem 53mm & 71mm
193	NZ		2x microlenchus burchorum (B.A.Marshall, 1998) Scuba 10-12m GEM, Sth E Bay Three Kings (Coll K Burch, named after us) Rare
194	NZ		Charonia lampas (Linnaeus,1758) Three Kings craypots, crabbed, 100m, 210.40mm (Coll K Burch on trip 2017)
195	NZ		Charonia lampas (Linnaeus,1758) Scuba Bream Head, 10m F++ Live taken, w/o 184mm
196	NZ		2x Barnea similis (Gray, 1835) Little Manly, Whangaparaoa, "Complete" F ++
197	NZ		2x Pholadidea tridens (Gray. 1843) Little Manly, Whangaparaoa 27mm and 28mm F++
198	NZ		2x Pholadidea suteri, Lamy.1926, Little Manly, Whangaparaoa 34mm and 41mm F++
199	NZ		Maurea trigis (Gmelin, 1791) Princes Pinnacle, Three Kings Is, Scuba, 50m. Large deep water spec, 68.5mm (Small hole in body)
200	NZ		Alcithoe fissurata fissurata, (Dell, 1963) Barrier Banks, trawled, 420mts 166mm (Perfect lip and protoconch) GEM
201	NZ		2 x Volutidae provocator mirabilis (Finlay,1926) off Auckland lds, trawled, 400-500m, GEM. 79.23 & 105mm
202	NZ		Volutidae Alcithoe larochei larochei, Marwick, 1926, trawled off Napier in mud. 350-400m (In natural condition as collected) 109mm F++
203	NZ		2 xVolutidae Alcithoe pseudolutea, Bail & Limpus 2005, East of Alderman lds, B.O.P. Trawled 420m 81mm, F+ Larger sp 100mm GEM
204	NZ		Charonia tritonis, (L, 1758) Fiji Is, made into trumpet but very good disply specimen. 370mm
Jenny Raven ...			
205	WW		Columbariidae: Columbarium harrisae 97 mm. Trawled 250 m. off Fitzroy Reef, Queensland, Australia
206	WW		Columbariidae: Columbarium spinicinctum x 2. Trawled off Lady Musgrave Island, Queensland, Australia
207	WW		Conidae: marmoreus, tulipa, tessulatus, emaciatus, textile, eburneus, ferrugineus and planorbis
208	WW		Stromidae: campbellii, incisum, bulla, lambis, luhuanus, aratrum x 2 (light and dark), rainus, lentiginosus, cararium, pugilis and variabilis
209	WW		Harpidae: a nice harpa harpa, also armouretta and major(kawamurai)
210	WW		Muricidae: nigrilis, brevifrons, pomum, regius, erythrostomus, virgineus x 2, Babelomurex japonicus and Mipus gyrates
211	NZ/AUS		Muricidae: Prototyphis eos NZ x 4 pink, and 1 white, plus a Prototyphis angasi Australia
212	NZ		12 Small Shells: Microvoluta marginata, Macrozafra enwrighti, Cumia mestayerae, Volutomitra obscura, Murexsul mariae, Antimelatoma buechanani maorum, Myadora boltoni, Agalista nana, Pictobalcis articulata, Notoacmea rapida, Prototyphis eos, Tenagodus weldii
213	NZ		Charonia lampas 157 mm. trawled off Stewart Island and Austrosassia parkinsonia Bland Bay
214	NZ		Prototyphis eos x 2 pink, 30 mm & 20 mm
215	NZ		Mixed Gastropods: Buccinum bicinctum & littorinoides (colensoi), Modelia granosa, Rolandiella scotti, Hydatina physis, Alcithoe fusus x 2, Cominella iredalei, Haliotis virginea (moria), Nassarius spiratus, Umbraculum, Cominella nassoides, Maurea selecta x 2, Philippia lutea
216	BOOK	\$85	New Zealand Seashells 2020 by Raven and Bracegirdle. New, signed, hard cover. Soft cover now out of print.
217	WW	\$100	Epitoniidae: Specialist collection. Over 150 species, quality specimens and data plus various publications on Epitoniidae.
218	WW	\$50	Marginellidae: Collection. Over 110 species, with good data, including some New Zealand.
Winston Ling ...			
219	WW		16 lots, Asian land snails/ freshwater snails. Names as seen in photo.
220	WW		Cellana Pricei A. W. B. Powell, 1973 x2, in great condition

Andrew Forrest ...		Did a lot of diving at the Poor Knights Islands in the 1960's. He will be at the auction and can tell us more about these shells and his diving experiences.	
221	NZ		<i>Annaperenna verrucosa</i> (46mm) - Large, but has some small holes: Poor Knights Islands. 1960's
222	NZ		<i>Annaperenna verrucosa</i> (35mm): Poor Knights Islands. 1960's
223	NZ		2x <i>Pascula palmeri</i> (19mm): Poor Knights Islands. 1960's - Topotypes
224	NZ		20x <i>Murexsul mariae</i> (unusual white ones): Poor Knights Islands. 1960's
225	NZ		9x <i>Murexsul octogonus</i> , 2x <i>Prototyphis eos paupereques</i> , <i>Poirieria zelandica</i> (juvenile), & 6x <i>Agnewia tritoniformis</i> : Poor Knights Islands. 1960's
226	NZ		<i>Coralliophila sertata</i> (17mm): Poor Knights Islands. 1960's
227	NZ		<i>Austrosassia parkinsonia</i> (49.5mm): Poor Knights Islands. 1960's
228	NZ		<i>Monoplex exaratus</i> (38mm) & <i>Turritriton labiosus</i> (17mm): Poor Knights Islands. 1960's
229	NZ		8x <i>Cominella quoyana</i> , 4x <i>Buccinum linea</i> , 2x <i>Buccinum vittatum</i> , & 4x <i>Lamellitrophon traversi</i> (unusually clean): Poor Knights Islands. 1960's
230	NZ		3x <i>Volutomitra obscura</i> , 3x <i>Isara carbonaria</i> (small), & 5x <i>Pupa nivea</i> : Poor Knights Islands. 1960's
231	NZ		3x <i>Maurea tigris</i> , 3x <i>Maurea punctulata</i> , & <i>Maurea pellucida</i> : Poor Knights Islands. 1960's
232	NZ		<i>Lyncina vitellus</i> (57.5mm) - beautiful fresh specimen: Poor Knights Islands. 1960's
233	NZ		<i>Lyncina vitellus</i> (59mm): Poor Knights Islands. 1960's
234	NZ		<i>Lyncina vitellus</i> (49mm): Poor Knights Islands. 1960's
235	NZ		<i>Argonauta nodosus</i> (117mm) & <i>Argonauta nodosus f. tuberculatus</i> (116mm): Poor Knights Islands. 1960's
236	NZ		<i>Charonia lampas f. capax</i> (203mm) - top quality: Whangaparaoa Peninsula, New Zealand. 1960's
237	NZ		2x <i>Charonia lampas f. rubicunda</i> (137mm, w/o + 75mm, w/o): Whangarei Harbour, New Zealand. 1960's
238	NZ		2x <i>Tonna tankervillei</i> , <i>Alcithoe arabica</i> , 2x <i>Charonia lampas f. capax</i> , <i>Penion cuvierianus</i> , and <i>Penion sulcatus</i> - from various Northland locations and Poor Knights Islands
239	NZ		<i>Alcithoe arabica f. motutarensis</i> , 2x <i>Astraea heliotropium</i> , 2x <i>Cabestana spengleri</i> , <i>Charonia lampas f. capax</i> , 4x <i>Ranella australasia</i> , <i>Semicassis labiata</i> , and <i>Semicassis pyrum</i> - from various Northland locations and Poor Knights Islands
240	NZ		<i>Alcithoe arabica</i> , 2x <i>Astraea heliotropium</i> , 2x <i>Cabestana spengleri</i> , 2x <i>Charonia lampas f. capax</i> , 3x <i>Ranella australasia</i> , <i>Monoplex parthenopeus</i> , and 2x <i>Semicassis pyrum</i> - from various Northland locations and Poor Knights Islands

Disclaimer

Auction lots are provided by many sellers, some acting only on behalf.

Identifications and spellings are not necessarily correct, and the condition of shells is not guaranteed.